



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

LOUISIANA—*New Orleans*.—Month of June, 1897. Estimated population, whites, 195,000; colored, 80,000; total, 275,000. Total deaths, 689—white, 424; colored, 265, including diphtheria, 2; enteric fever, 16; scarlet fever, 1, and phthisis pulmonalis, 68.

MICHIGAN.—Reports to the State board of health, Lansing, from 59 observers, for the week ended July 24, 1897, indicate that intermittent fever, phthisis pulmonalis, diarrhea, remittent fever and erysipelas, increased, and inflammation of bowels, measles, and influenza decreased in area of prevalence. Phthisis pulmonalis was reported present at 190 places, measles at 44, diphtheria at 27, scarlet fever at 17, enteric fever at 16, and whooping cough at 16 places.

NEW JERSEY—*Hudson County*.—Month of June, 1897. Estimated population, 355,231. Total deaths, 523, including diphtheria, 23; enteric fever, 7; scarlet fever, 6; measles, 2; phthisis pulmonalis, 58, and whooping cough, 1.

Paterson.—Month of June, 1897. Estimated population, 107,056. Total deaths, 126, including diphtheria, 5, and phthisis pulmonalis, 16.

NEW YORK.—Month of June, 1897. Reports to the State board of health, Albany, N. Y., from 153 cities, towns, and villages show a total of 9,028 deaths; including diphtheria, 354; enteric fever, 66; measles, 86; scarlet fever, 82; smallpox, 7; phthisis pulmonalis, 1,002, and whooping cough, 64.

The Monthly Bulletin says:

The reported mortality for the month (9,028), is 300 less than that of June, 1896, and about 200 greater than the average June mortality for the past ten years. Next to November, this is uniformly in this State the month in which the fewest deaths occur, the number of deaths being ordinarily about 900 less than the average monthly mortality of the entire year. Compared with the preceding month there was a decrease of 250 deaths and a death rate of 16.75 against 17. The infant mortality, while below the average for June (31.5 per cent against 36.7), is 400 greater than that of May, and the zymotic mortality, by reason of increase in diarrheal diseases, has arisen from 10.35 per cent of the total to 14 per cent; the common average for June is, however, 20 per cent. There were 500 deaths from diarrheal diseases, against 113 in May and against 900 in June, 1896; in the maritime district nearly 8 per cent of the deaths were from this cause, in the Lake Ontario and Western district 4.40 per cent, in the Hudson Valley district 2.50 per cent, while in the more rural districts but 0.5 per cent of deaths were diarrheal, the mortality following closely the density of population; of 1,760 deaths in country towns only 20 were reported from diarrhea. From other zymotic diseases the mortality does not vary from that reported in May, not that of June, 1896. The 7 deaths from smallpox all occurred in the metropolis. From consumption there were 1,000 deaths, which is a slight decrease from May; this disease shows the least variation of any in its mortality, but June is ordinarily the month in which the fewest deaths occur from it. Acute respiratory diseases, which in May decreased 500 from April, have further decreased by 400 for the month.

There is a reported increase in deaths attributed to diseases of the digestive system; other local diseases do not vary from last month. Accidents and violence caused an increased mortality, which is customary in the summer months.

Yonkers.—Month of June, 1897. Estimated population, 40,000. Total deaths, 58, including diphtheria, 10, and phthisis pulmonalis, 7.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from—									
				Phthisis pulmonalis.	Yellow fever.	Smallpox.	Variceloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.
Ashtabula, Ohio.....	July 31.....	8,336	4										
Baltimore, Md.....	do.....	434,439	241	21							6	2	
Binghamton, N. Y.....	do.....	35,065	9	1									
Boston, Mass.....	do.....	448,477	238	16						1	1	4	
Brockton, Mass.....	July 24.....	27,294	10	1									
Brooklyn, N. Y.....	July 31.....	806,343	474	4					7	4	16	2	4
Bueyrus, Ohio.....	do.....	5,974	2	2									
Butler, July 24.....		8,734	5										
Butler, Pa.....	July 31.....	8,734	3										
Cambridge, Mass.....	do.....	70,028	54	5					1		1		
Carlisle, Pa.....	do.....	7,620	3										
Charleston, S. C.....	July 24.....	*54,955	†36	6					2	1			
Chicago, Ill.....	do.....	1,099,850	518	41					4	4	11	1	
Cincinnati, Ohio.....	July 30.....	296,908	97	4					4	4			
Cleveland, Ohio.....	July 31.....	261,353	132	4					2		1		
Columbus, Ind.....	do.....	6,719	2										
Columbus, Ohio.....	do.....	88,150	32						1				
Dayton, Ohio.....	July 30.....	61,220	21	2									
Denver, Colo.....	July 17.....	106,713	37	7									
Erie, Pa.....	July 31.....	40,634	18										
Everett, Mass.....	July 30.....	11,068	8									1	
Fall River, Mass.....	July 31.....	74,398	52	1									
Fitchburg, Mass.....	July 24.....	22,037	9	1									
Flint, Mich.....	July 30.....	9,803	1	1									
Gloucester, Mass.....	July 24.....	24,651	5	1									
Grand Rapids, Mich.....	July 31.....	60,278	16	1							1	1	
Green Bay, Wis.....	July 24.....	9,069	3										
Haverhill, Mass.....	July 31.....	27,412		1									
Hoboken, N. J.....	do.....	43,618	20	8									
Ironton, Ohio.....	do.....	10,939	1										
Jacksonville, Fla.....	do.....	17,201	6	1									
Jersey City, N. J.....	July 25.....	163,003	80	12						1	2		2
Kalamazoo, Mich.....	July 31.....	17,853	2										
Lawrence, Mass.....	July 24.....	44,654	27										
Lowell, Mass.....	July 31.....	77,696	40	6								1	
Lynchburg, Va.....	do.....	19,709	13	3									
Manchester, N. H.....	July 24.....	44,126	22	2					1				
Massillon, Ohio.....	do.....	10,092	2										
Do.....	July 31.....	10,092	2										
Medford, Mass.....	do.....	11,079	6										
Memphis, Tenn.....	do.....	64,495	26	7					1				
Milwaukee, Wis.....	do.....	204,468	51	6					1		2		
Mobile, Ala.....	do.....	31,076	24	2					1				
Nashville, Tenn.....	do.....	76,168		6					3				
New Bedford, Mass.....	do.....	40,733	40	4									
Newburyport, Mass.....	July 24.....	13,947	4						1				
Newport, R. I.....	July 31.....	19,457	7										
New York, N. Y.....	do.....	1,515,301	804	83					8	8	21	10	5
Norristown, Pa.....	do.....	19,791	9	1					1				
North Adams, Mass.....	do.....	16,074	12	1									
Omaha, Nebr.....	July 24.....	140,452	17										
Oneonta, N. Y.....	July 31.....	6,272	4										
Philadelphia, Pa.....	do.....	1,046,964	396	36					8	3	16	1	5
Portland, Me.....	do.....	36,425	20	6									
Poughkeepsie, N. Y.....	July 24.....	22,206	10										
Do.....	July 31.....	22,206	8										
Providence, R. I.....	do.....	132,146	55	5									
Pueblo, Colo.....	July 24.....	24,558	8						1				
Reading, Pa.....	Aug. 2.....	58,661	27	2									
St. Louis, Mo.....	July 24.....	451,770	180	14					4		1		1

* Estimated population, 65,165; white, 28,870; colored, 36,295; † White, 5; colored, 31.